

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

Sign plates for fixed vertical road traffic signs

Scope: Sign plates with sign face materials applied for fixed vertical road traffic signs (ZA.5)

The product fulfils the essential characteristic:

See Annex 1

Intended use: Permanent traffic signs

Placed on the market under the name or trade mark of:

**Seri Q Sign A/S
Stærmosegårdsvej 30
5230 Odense M
Denmark**

and produced in the manufacturing plant:

CPA30002

This attests that all provisions concerning the performance described in Annex ZA of the standard(s)

EN 12899-1:2007 : **Fixed, vertical road traffic signs - Part 1: Fixed signs**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

CONSTANCY OF PERFORMANCE OF THE CONSTRUCTION PRODUCT.

This certificate was first issued on 2017-12-07 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The attached annexes form part of this certificate.

Date of issue: **2026-04-22**

(This certificate supersedes the previous version of this certificate issued 2023-06-14)



Christina Østergaard
Responsible for evaluation



Lene Skovbjerg
Responsible for certification decision

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S



Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk




**DANAK**
PROD Reg.nr.7023

Version 2022-10-10
Page 1 of 23




Annex 1

Description and classification:			
Sign, sizes and mounting system Brackets: Minimum steel quality: S235 Signboard: Minimum aluminium quality: $R_{p0,2} = 180$ MPa Pipe dimension $\varnothing 48,3$, $\varnothing 60,3$, $\varnothing 76,1$ or $88,9$ mm Single sided or double sides mounting	Classification according to wind load classes		
	Placed in WL1	Placed in WL2	Placed in WL3
 $d \leq 1200$ mm, $t = 2$ mm, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.
 $d \leq 1200$ mm, $t = 2$ mm, brackets Type 2	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

 $d \leq 900 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $d \leq 700 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.
 $d \leq 500 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB1, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB1, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 $h \leq 900 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSLO, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSLO, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSLO, PLO, TDB4, TDT0, P2, E1 and SP1.
 $s \leq 1250 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSLO, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSLO, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSLO, PLO, TDB4, TDT0, P2, E1 and SP1.
 $s \leq 900 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSLO, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSLO, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSLO, PLO, TDB3, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.




DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90



E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
PROD Reg.nr.7023



Version 2022-10-10
Page 4 of 23

 $S \leq 700 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.
 $a \leq 500 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.
 $h \times b = \leq 1450 \times \leq 650 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.



The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 h x b = ≤ 1450 x ≤ 650 mm, t = 2 mm, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 h x b = ≤ 1250 x ≤ 1200 mm, t = 2 mm, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.



The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 $h \times b = \leq 1250 \times \leq 1200 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 2	Signboard and brackets: PAF1, WL1, DSL0, PL0, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PL0, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PL0, TDB6, TDT0, P2, E1 and SP1.
 $h \times b = \leq 1250 \times \leq 1200 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PL0, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PL0, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PL0, TDB6, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 $h \times b = \leq 1250 \times \leq 750 \text{ mm}, t = 2 \text{ mm}, \text{brackets type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.
 $h \times b = \leq 1250 \times \leq 600 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 $h \times b = \leq 1250 \times \leq 400 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 1250 \times \leq 250 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 800 \times \leq 1200 \text{ mm}$, $t = 2 \text{ mm}$, brackets Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.




DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90



E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023





Version 2022-10-10
 Page 9 of 23

 $h \times b = \leq 800 \times \leq 750 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 800 \times \leq 600 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 800 \times \leq 400 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

 $h \times b = \leq 800 \times \leq 250 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 700 \times \leq 250 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 650 \times \leq 1200 \text{ mm}, t = 2 \text{ mm}, \text{brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

 $h \times b = \leq 600 \times \leq 600 \text{ mm, } t = 2 \text{ mm, brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 600 \times \leq 400 \text{ mm, } t = 2 \text{ mm, brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.
 $h \times b = \leq 550 \times \leq 750 \text{ mm, } t = 2 \text{ mm, brackets Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.
 $h \times b = \leq 250 \times \leq 1200 \text{ mm, } t = 2 \text{ mm, bracket Type 1}$	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB4, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB5, TDT0, P2, E1 and SP1.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.





DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023


Version 2022-10-10
 Page 12 of 23

 $h \times b = \leq 250 \times \leq 750 \text{ mm}$, $t = 2 \text{ mm}$, bracket Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB3, TDT0, P2, E1 and SP1.
 $h \times b = \leq 250 \times \leq 600 \text{ mm}$, $t = 2 \text{ mm}$, bracket Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.
 $h \times b = \leq 250 \times \leq 400 \text{ mm}$, $t = 2 \text{ mm}$, bracket Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB1, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB1, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.
 $h \times b = \leq 250 \times \leq 250 \text{ mm}$, $t = 2 \text{ mm}$, bracket Type 1	Signboard and brackets: PAF1, WL1, DSL0, PLO, TDB1, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL2, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.	Signboard and brackets: PAF1, WL3, DSL0, PLO, TDB2, TDT0, P2, E1 and SP1.

The different types, shapes and sizes of minor traffic signs including mounting system are shown in Figure 1 and Figure 2.

The variation of the sizes for the individual types and shapes inclusive mounting system are shown in Figure 1 to Figure 6 and in Table 1.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.




The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk



The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.




Figure 3: Placement of holes in the different types of sign plate is shown at left and the brackets at right. Values for the variable measures are given in Table 1. Details for the brackets are shown in Figure 5 and Figure 6.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk




Figure 4: Placement of holes in the different types of sign plate is shown at left and the brackets at right. Values for the variable measures are given in Table 2. Details for the brackets are shown in Figure 5 and Figure 6.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
 www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023

Version 2022-10-10
 Page 17 of 23

h	b	c	c1	c2	e	Minimum numbers of brackets
1450	650	1389	463	463	280	4
1450	650	1390	-	-	280	3
1250	1200	1190	395	400	650	4
1250	1200	1190	-	-	650	3
1250	750	1190	-	-	480	3
1250	600	1190	-	-	280	3
1250	400	1190	-	-	180	3
1250	250	1190	-	-	180	3
800	1200	740	-	-	650	2
800	750	740	-	-	480	2
800	600	740	-	-	280	2
800	400	740	-	-	180	2
800	250	740	-	-	180	2
700	250	640	-	-	180	2
650	1200	590	-	-	650	2
600	600	540	-	-	280	2
600	400	540	-	-	180	2
550	750	490	-	-	480	2
250	1200	-	-	-	650	1
250	750	-	-	-	480	1
250	600	-	-	-	280	1
250	400	-	-	-	180	1
250	250	-	-	-	180	1

Table 2: Variable measures of the different sign types and their numbers of brackets to be used for the sign plates shown in Figure 3 and Figure 4 in previous page.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023

Version 2022-10-10
 Page 18 of 23




Figure 5: Brackets Type 1.

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023

Version 2022-10-10
 Page 19 of 23




Figure 6: Brackets Type 2.

Fixings:

Pass.

M6: $f_y \geq 370$ MPa
 M8: $f_y \geq 400$ MPa

Pressure force for tightening:
 M6: 5 kN
 M8: 2 kN

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
 Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
 www.dbicertification.dk

 **DANAK**
 PROD Reg.nr.7023

Version 2022-10-10
 Page 20 of 23

Visibility		Value/description/ class/reference
Retroreflective signs: Daylight chromaticity & luminance factor	3M Flexible engineer Grade Prismatic 7600 3M High Intensity Prismatic 3930 3M Engineering Grade Prismatic 3430 3M Diamond Grade DG 3M™ Flexible Engineer Grade Reflective Sheeting 7610 3M™ High Intensity Prismatic Reflective Sheeting for Digital Printing 3930 UDS 3M™ Diamond Grade™ DG ³ Prismatic Reflective Sheeting for Digital Printing 4090 UDS	ETA 19/0839 ETA 25/0701 ETA 18/0290 ETA 12/0550 ETA 10/0118 ETA 18/0405 ETA 19/0839 ETA 24/0244 ETA 24/0246
Non retroreflective signs: Daylight chromaticity & luminance factor		NPD
Retroreflective signs: Coefficient of retroreflection R_A	3M Flexible engineer Grade Prismatic 7600 3M High Intensity Prismatic 3930 3M Engineering Grade Prismatic 3430 3M Diamond Grade DG 3M™ Flexible Engineer Grade Reflective Sheeting 7610 3M™ High Intensity Prismatic Reflective Sheeting for Digital Printing 3930 UDS 3M™ Diamond Grade™ DG ³ Prismatic Reflective Sheeting for Digital Printing 4090 UDS	ETA 19/0839 ETA 18/0290 ETA 12/0550 ETA 10/0118 ETA 18/0405 ETA 19/0839 ETA 24/0244 ETA 24/0246
External illumination:		
mean illuminance		NPD
uniformity of illuminance		NPD

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
PROD Reg.nr.7023

Version 2022-10-10
Page **21** of **23**

Durability		Value/description /class
Impact resistance Sign face material	3M Flexible engineer Grade Prismatic 7600	ETA 19/0839
	3M High Intensity Prismatic 3930	ETA 18/0290
	3M Engineering Grade Prismatic 3430	ETA 12/0550 ETA 10/0118
	3M Diamond Grade DG	ETA 18/0405
	3M™ Flexible Engineer Grade Reflective Sheeting 7610	ETA 19/0839
	3M™ High Intensity Prismatic Reflective Sheeting for Digital Printing 3930 UDS	ETA 24/0244
	3M™ Diamond Grade™ DG ³ Prismatic Reflective Sheeting for Digital Printing 4090 UDS	ETA 24/0246
Resistance to weathering – sign face material: Retroreflective signs	3M Flexible engineer Grade Prismatic 7600	ETA 19/0839
	3M High Intensity Prismatic 3930	ETA 18/0290
	3M Engineering Grade Prismatic 3430	ETA 12/0550 ETA 10/0118
	3M Diamond Grade DG	ETA 18/0405
	3M™ Flexible Engineer Grade Reflective Sheeting 7610	ETA 19/0839
	3M™ High Intensity Prismatic Reflective Sheeting for Digital Printing 3930 UDS	ETA 24/0244
	3M™ Diamond Grade™ DG ³ Prismatic Reflective Sheeting for Digital Printing 4090 UDS	ETA 24/0246
Resistance to weatering – Sign face material: Non retroreflective signs		NPD
Corrosion resistance		
Brackets		Minimum S235 SP1
Screws, nuts and washers		M6: $f_y \geq 370$ MPa, SP1 or SP2 according to material. M8: $f_y \geq 400$ MPa, SP1 or SP2 According to material.
Aluminum plate		SP1 Laquered Al-plate on exposed side if any
Resistance to penetration of dust and water		NPD The product may not be provided with compartments for electrical equipment.

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

Annex 2

TECHNICAL BASIS

Title	Date
Seri Q Sign A/S Calculation of minor traffic signs (ITC) Shapes and sizes for signs without protection edge mounted on brackets made of preshaped rectangular steel bars, 1 th Edition.	September 2017
3M™ Flexible Engineer Grade Prismatic Reflective Sheeting 7600: ETA 19/0839 ver. 02	2022-09-19
3M™ Flexible Engineer Grade Prismatic Reflective Sheeting 7600+Canon UVgel ink + 3M™ Protective Overlay Film 1170C ETA 25/0701	2025-10-13
3M High Intensity Prismatic 3930 ETA 18/0290	2018-06-21
3M Engineering Grade Prismatic 3430: ETA 10/0118 ETA 12/0550	2016-02-10 2018-06-06
3M Diamond Grade DG: ETA 18/0405	2018-06-21
3M™ Flexible Engineer Grade Reflective Sheeting 7610 ETA 19/0839	2022-09-19
3M™ High Intensity Prismatic Reflective Sheeting for Digital Printing 3930 UDS ETA 24/0244	2025-10-13
3M™ Diamond Grade™ DG ³ Prismatic Reflective Sheeting for Digital Printing 4090 UDS ETA 24/0246	2025-10-13

End of Certificate

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk

 **DANAK**
PROD Reg.nr.7023

Version 2022-10-10
Page **23** of **23**